مريد ماسسسود عدر 1.50X1-HUM

DA INTELLIGENCE REPORT
(Use till form only intercordance with instructions in SR 380-303-5)

# CONFIDENTIAL TRY REFORTED ON

DATE OF REPORT

subject Location of Units and Ammo Depots of the 1st Mtz Rif Div.

REFERENCES

EVALUA-

date of info.

GUMMARY

Downgrading data cannot be predetermined

50X1-HUM

Of Information: This report contains information on the location of subordinate units of the 1st Mtz Rif Div, their alert assembly areas, plus the location and contents of ammo dumps of the Div units. It also includes information on basic locals for various weapons and a limited amount of information on the location of Soviet units in the 1st Mtz Rif Div area.

50X1-HUM

NOTB. Reproduction of this document in whole or in part is prohibited, if SECRET or TOP SECRET, except with permission of the isming office. All requests for authority to reproduce will be directed to the Assistant Chief of Staff, G-2, Department of the Arms.

CLASSIFICATION

NOTE: This document comman information electing the national defense of the United States within the meaning of the Espinoners Act, 50 U.S.C. 31 and 33 and clock of the temperature of the content of th

DA . FORM 1048

REPLACES OCS FORM 17A, 1 APR 88, WHICH MAY BE USED. CAUTION — REMOVE PROTECTOR SHEET BEFORE TYPING.

50X1-HUM

50X1-HUM.

CONFIDENTIAL

DA INTELLIGENCE REPORT (Use this form only in accordance with instructions in SR 380-305-5)

# CONFIDEN

PAGE 2

Location of Units and Ammo Depots of the 1st Mtz Rif Div-

50X1-HUM

### Explanation of Inclosures:

On the six Inclosures to this report. the lst Ltz Rif Div unit locations routes of march and assembly areas used in alert training, munitions depots and soviet troop installations.

### REPORT

50X1-HUM

# 1. Division Munitions Depot, POTSDAM-Bornim (Incl 1)

As of Sep 57, this depot was still under construction. When completed it will consist of four 8 x 20m concrete above-ground storage buildings. The road connect ions between the individual bunkers and the entrance to the area were also under construction. Because of the hilly terrain of the area, these roads are necessary before the buildings can be used for storage. Construction was expected to be completed about Nov 57. One of the bunkers, which required no access Yound, was already in use by the 2nd Mtz Rifle Regt which maintains a detachment of one NCO and six EM in the guard building. There are field telephone connections from the guard building to the 2nd Mtz Rifl Div. The area is surrounded by an outer and an inner fence and these fences are separated by a open space of about 5 mg. The outer fence is about 2-m high and the inner fence 2.5-m high. The perimeter lighting had been installed about Sep 57 but at that time was not as yet in operation. When completed, this depot is intended as a central ammo depot for the 1st Mtz Rifl Div.

As of Sep 5%, the 2nd Mtz Rif Regt was storing the following munitions in the one building accessible:

Small arms ammo 6.5 Basic load
Mort and aT except 107mm all calibers 0.75 Basic load
37mm AAA Ammo 0.5 Basic load
Tank ammo 0.75 Basic load
Training ammo of all calibers

# 2. Temporary Munitions Depot, POTSDAM-Biche (Incl 1)

In this temporary depot the ammo is stored under canvas. This depot is intended for use only until the new Division depot at PCTSDAM-Larnim is completed. Guard duties for this depot are performed by the guard detachment for the installation of which the depot is a part. During the night two sentries are posted in the storage area while only one guard is on during the day. The storage with are separated from the rest of the installation by a barbedwire fence. The following munitions are stored here:

Tank ammo for the Recon Bn

3mall arms ammo

12.7 mm AAA Ammo

37mm and 57mm ammo for the 1st AAA Regt

Small arms ammo for the 1st AAA Regt

Consumer to the 1st AAAA Regt

Consumer to the 1st AAAA Regt

Consumer to the 1st AAAA Regt

Consumer to

MOTE: Repreduction of this document in whole or in part is prohibited, if SECRET or TOP SECRET, except with permission of the Issuing office. All requests for eathority to reproduce will be directed Chief of Staff, G2, Department of the Army.

Div

CLASSIFICATION

NOTE: This document contains information affecting the national defense of the United States within the meaning of the Explosage Act, 50 U.S.C. 31 and 32, as amended its transmission or the regulation of the contents in any moment to an unauthorized porson is problibited by Jay

ORM 1048-1 REPLACES OCS CONFIDENTIA MAY BE CAUTION — RESULTING TO THE TOTAL PROPERTY OF THE PR

\_\_50X1-HUM

DA INTELLIGENCE REPORT (Use this form only in accordance with instructions in SR 380-305-5) CONFIDENT

3

# AAA School Ammo Depot, POTSDAM - Geltow (Incl 1)

The depot consists of three cigar-shaped bunkers which were formerly air raid shelters for the Hq Staff of the WW II German airforce. There is no special fencing which separates the bunkers from the rest of the installation. The guards, one man to each bunker, are provided by the guard detachment of the central installation. The alarm signal by the guard is a gun shot. The following munitions are stored here:

Small arms ammo for the AAA School
AAA ammo up to 100mm for each Btry at the
AAA School

1.0 Basic load

# 4. Munitions Depot at CHANLENBURG (Incl 2)

This depot consists of 12 small above-ground buildings on the site of the former concentration camp at CRANIENBURG. The area is enclosed by a well about 5-m-high. An 2-m-high inner fence of barbed-wire is about 5-m from the wall. The guard detachment is quartered in a building within the enclosure. The detachment consists of one officer, one NCO and six EM who are provided alternated by bythe 1st Mtz Rif Regt and the 1st Arty Regt. The guard changes daily at 1800. There are two sentry posts, one inside and one outside the area. The guard building is connected by field telephone to the lot Mtz Rif Regt. At night the area is illuminated by perimeter and interior lighting. Stored here is the following ammo:

Buildings 1 thru 4: Ammo for the 1st Arty Rogt

Arty ammo for all calibers Small arms ammo Flare shells Training ammo

0.75 Basic load 0.5 Basic load 1.0 Basic load

Buildings 5 thru 12: Ammo for the 1st Mtz Rif Div

Small arms ammo Arty ammo of all calibers Tank ammo 37mm, 12.7mm, 14.5mm AAA ammo 0.5 Basic load 0.75 Basic load 1.0 Basic load 1.0 Basic load

# 5. Ammo Depot of 3rd Mtz Rif Regt BRANDENBURG - HOHENSTUECKEN (Incl 3)

The depot consists of four above-ground ruildings. As of Sep 57, the streets within the depot were almost finished but construction on the enthance road into the area from the Brandenbur. Hohenstuecken Rathenow road and the emit to the same road had not yet started. The lighting and a double fence had been completed. On each corner of the depot was emplaced a sentry box in a commanding position. The guard detail was made up of one officer, one NCO and nine Mai Two sentry boxes and a roving patrol were maintained inside the depot. Stores of ammo were as follows:

For the 3rd Mtz Hif Regt (Complete Regt ammo supply here since this Regt is only at cadre strength).

Small arms ammo
Arty ammo of all colibers
Tank ammo
Flare shells
37mm, 12.7mm, 14.5mm AAA ammo

1.0 Basic load 0.75 Basic load

0.75 Basic load

1.0 Basic load 1.0 Basic load

Training ammo
Stored for the Div at this depot:

Arty ammo for the 2d and 3d Mtz Rif Regt

0.25 Basic load

0.25 Basic load

Arty ammo for the 1st Arty Regt

NOTE: Reproduction of the deament in whole or in
part is prohibited, if SECRET or TOP SECRET, except
with permission of the feating office. All requests for
cutbority to reproduce will be directed to the Assistant
Chief of Smft, GJ. Department of the Army.

CLASSIFICATION

NOTE: This document contains information effecting the national defense of the United States within the meaning of the Espirange Act, 50 U.S.C. 31 and 32, 28 amended its transmission or the regulation of the contents in any meaning to an unactivaries person to prohibited by law.

DA FORM TO ABO REPLACES CORFIDENT MAY BE USED.

CAUTION — REMOVE PROTECTOR SHEET BEFORE TYPING.

4

25.50

DA INTELLIGENCE REPORT (Use this form only in accordance will instructions in SR 380-303-3)

# CONFIDEN

6 Munitions Depot in KIRCHMOESER (Incl 5)

Consists of two large bunkers and one small bunker built into a hillside.

The double fences around the area are about 2-m high and are separated by a distance of about 2 to 3 m. The guard detachment is housed in a small building inside the enclosured. It includes one NCO and three EM. Both interior and perimeter lighting is in operation.

Ammo stored here:

Small arms ammo for the Eng Bn
Tank ammo for the 1st Tk Regt (Div storage)
Explosives for the Eng Bn
Training ammo for the 3rd Mtz Rif Regt
Flare shells (Div and Engr Bn storage)

0.5 Basic load 0.25 Basic load 5.6 tons

1.0 Basic load

7. lst Tk Regt Ammo Depot in the vicinity of the Installation (Exact location Unknown) (Incl 4)

This depot consists of four buildings. As of Sep 57, the fencing, lighting and roadway had not been completed.

Stored here were the following munitions:

50X1-HÜM

Small arms ammo for 1st Tk Regt and Tk Tng Bn 12.7mm and 37mm Ana ammo
Tank ammo
Flare shella
Training ammo-76mm, 45mm, 85 mm.

0.5 Basic load 1.0 Basic load 0.75 Basic load 1.0 Basic load

## 8. Depot Construction:

Up until the end of 1956, the normal type of construction for the munitions depots was a 8 x 20 m concrete above-ground building. However, since May 57, this type of construction has been forbidden. In the future, all ammo storage facilities will be placed underground.

### 9. Amount of Ammo Storage:

As of Sep 57 the training doctrine in the 1st Mtz Rif Div specified that 25% of a Basic Load of all types of munitions would be held in the Div depot, 25% held at Regiment and 50% kept with the individual guns. In the case of small arms ammo, 50% of a Basic Load would be in the companies with 25% at Regiment and 25% at Division.

By the end of 1957, these amounts are scheduled to be increased to 50% in Division storage, 25% at Regiment, and 50% at the guns with the exception of AT and tank ammo which will increase to 75% of a Basic Load at the guns

The figures for individual depots as given in this reports seem to reflect a transition from the old storage figures to the new. When depot construction for all Regiments and the Division is completed, it can be expected that the 50X1-HUM new storage levels will be in effect. a further increase in ammo supply in 1958 would probably result in one complete basic load at the gun, with 25% at Regiment and 50% at Division.

### 10. Components of Basic Loads:

50X1-HUM

The following figures show the component parts of a Basic Load for individual weapons. These figures were obtained from photostats

These photostats were copies of 50X1-HUM in an unofficial transaction by the former 50X1-HUM

documents furnished in an unofficial transaction by the former of S of arty in the GDR Ministry of Defense, Lt Col ZIMMERLINKATH.

50X1-HUM

NOTE: Reproduction of this document in whole or to part to prohibited, if SECRET or TOP SECRET, except with permission of the Issuing office. All requests for entherity to reproduce will be directed to the Assistant Chief of Staff, GL. Department of the Arms. CLASSIFICATION

NOTE: This document contains information offerting the rational defense of the United States within the meaning of the Espionage Act, 50 U.S.C. 31 and 32, as amended, its transmission or the revolution of its contrain, in any manner to an uncuthorized person is prohibited by law.

DA FORM 1048-1

REPLACES OC. CONE DEN. PAMAY BE USED.

50X1-HUM \_

DA INTELLIGENCE REPORT (Use this form only in occordance with instructions in SR 360-303-5)

# CONFIDENTI

PAGE

WEAPON (Arty)	TYPE OF SHELL	PER GUN
45 mm AT	Fragmentation HE (Fixed)	140
	Armor Piercing (Fixed)	40
	Sub-caliber (Fixed)	20
57 mm AT	45 mi AT	
57 mm SP	Fragmentation (Fixed)	100
	Armor Piercing (Fixed)	76
	Sub-caliber (Fixed)	24
82 mm Mort	Fragmentation	120
82 mm RCL	Fragmentation	60
	Hollow charge	60
107 mm RCL	Fragmentation, HE	40
	Hollow charge	40
76 mm G	Fragmentation (Fixed)	90
	Fragmentation, HE (Fixed)	30
	Armor Piercing (Fixed)	14
	Sub-caliber	6
85 mm Gun and SP	Fragmentation (Fixed)	116
	Armor Piercing (Fixed)	14
	Sub-caliber	6
	Smoke shell	4
120 mm Mort	Fragmentation	80
122 mm Gun How	Fragmentation	60
	Fragmentation HE	16
	Hollow charge AT	4
152 mm How	Fragmentation	46
	Fragmentation HE	11
	Concrete piercing	3
152 Gun How	Fragmentation	54
	Concrete piercing	3
	Armor piercing	3
160 mm Mort	HE Variable charge	42
	HE Reinforced charge	18
WEAPON (AAA)	RYPE CF SHELL	PER CUN
14.5 mm Twin MG	Armor piercing inceddiary	1440
	Tracer	, 720
	Incendiary	240
14.5 mm Quad MG	Double the basic load for	
•	tean 14.55 and .	

NOTE: Reproduction of this document in whole or to part is probabited, if SECRET or TOP SECRET, except with permission of the Issuing office. All respects for entherity to reproduce will be directed to the Assistant Cites of Staff, C2, Department of the Army.

CLASSIFICATION

NOTE: This document contains information affecting the anticnal defense of the United States within the meaning of the Epicange Act, 50 U.S.C. 51 and 32, as emended, the translation or the teredation of its centrates in any manner to an unactionized person is prohibited by law.


50X1-HUM PAGE DA INTELLIGENCE REPORT 6 (Use this form only in accordance with instructions in SR 380-305-5) PER GUN TYPE OF SHELL WEAPON (AAA) 285 Fragmentation (Fixed) 57 mm Self displacing ( "ux engine) 15 armor piercing 190 Fragmentation (Fixed) 57 mm Gun . 10 Armor piercing Fragmentation (Fixed) 142 85 mm Gun 8 Armor piercing 98 Fragmentation (Fixed) 100 mm Gun 2 Armor piercing Fragmentation, tracer (Fixed) Armor plercing tracer (Fixed) <sup>164</sup><sub>36</sub> 50X1-HUM 37 mm Gun


MOTE: Reproduction of this document rant is prehibited, if SECRET or TOP with purnission of the landing office, enthory to reproduce will be dickerd. Chief of Stuff. 62, Department of the or in CLASSIFICATIO


NOTE: This document contains information offerting the national defence of the United States within the meaning of the Explonage Act, 50 °U.S.C. 31 ced 32, as entertied, by the translation of the regulation of in contains in any terms. To an unauthorized person is prohibited by low.


FORM TO THE REPLACES OCS FORM TO APPLY STATE HAY BE USED. CAUTION — REMOVE PROTECTOR SHEET BEFORE TYPING.















Declassified in Part - Sanitized Copy Approved for Release 2013/08/27 : CIA-RDP81-01043R002200180002-2 CONFIDENTIAL LOCATION of UNITS and AMMO DEPOTS of the 1st MTZ. RIF. DIV.(C) Inclosure 2 ORANIENBURG + Vicinity Page I of I Page 55 ALERT ASSEMBLY AREA

Ist Arty. Regt 80 4th Bn. CP+Regt. Staff 3rd Bn. Ist Bn FRIEDRICHSTHAL GRABOW LAKE SACHSENHAUSEN Loading Platforms RUPOINEN CANAL 49 MUNITIONS DUMP

| Ist Arty. Regt.+
| Ist Mtz, Rif. Regt. 86 Ist Mtz. Rif. Regt. -LEHNITZ LAKE EDEN MAP REFERENCE : Germany, 1:25,000 AMS M 841 Sheet - 3145 - NASSENHEIDE 3245 - ORANIENBURG CRANIENBURG LEHNITZ Firing Ronge Ist Mtz.Rif. Regt-Ist Arty Regt ALERT ASSEMBLY AREA ist Mtz. Rut. Regt. DESEBPUC BORGSDORF




∞ 50X1-HUM

CONFIDENTIAL

# CONFIDENTIAL

Lin Albeit at utill's and AMMO DEPOTS of the list Mtz Rif Div (C) Inclusure 4

ist In Regt



# Location of Units and Ammo Depots of the 1st MTZ RIF DIN Inclosure 5 Engineer Bn KARCHNOESEK AIRCHNOESEK AIRCHNOESEK

CONFIDENTIAL

CONFIDENTIAL

6

MAP REFERENCE:

Germany 1:25,000


SHEET 3640, GROSS WUSTERWITZ
AMS 841 GROSS 44/4

SH EDITION


CONFIDENTIAL


MAP REFERENCES GERMANY 1 25,000 AMS 341 (THIRD EDITION) SHEET 3742 - DAMELANG Declassified in Part - Sanitized Copy Approved for Release 2013/08/27 : CIA-RDP81-01043R002200180002-2








Declassified in Part - Sanitized Copy Approved for Release 2013/08/27 - CIA-RDR1-010/43R002200180002-2















CONFIDENTIAL


# CONFIDENTIAL


FOUNTIES and AMMO DEPOIS of the 1st Mtz Rif Div (C)

Ist Ik Regt



CONFIDENTIAL





Declassified in Part - Sanitized Copy Approved for Release 2013/08/27 : CIA-RDP81-01043R002200180002-2

